1957 ANNUAL INDEX

Textile Research Journal

Volume XXVII

MONTH	PAGES	MONTH	PAGES
January	1–86	July	501–590
February	87–176	August	591–664
March	177–274	September	665–754
April	275–344	October	755–832
May	345–418	November	833–918
June	419–500	December	919–1002

L=Letter

AUTHOR AND TITLE INDEX

ALEXANDER, A. E. (Griffith). The Supercontraction of Wool in Solutions of Lithium Salts . . . 755

BAILEY, John V. (Brysson, Berard). Protective Treatments for Cotton Awnings . . . 209
BANERJEE, B. L. (Sen). Mechanism of Rupture of Jute Yarn under Tensile Stress . . . 846
(Sen). Structural Imperfections in Ramie and Jute . . . 313
BANKY, E. C. (Slen). An Improved Fiber Rotator—L . . . 417
BARRETT, B. J. (Lindsley). The Methylation of Cellulose Xanthate . . . 767
BASKIN, A. DAVID (Bubernak). Electroanalysis With Controlled Cathode Potential of Metallic Copper Applied to Fabrics as Metallo-Organic Fungicides . . . 878
BAYLEY, C. H. (Rose). A Study of the Weathering Characteristics of Cotton Fabrics Containing Inorganic Compounds. *Part II:* Further Work on Copper-Chromium Treatments . . . 519
(Weatherburn). The Soiling Characteristics of Textile Fibers. *Part II:* The Influence of Fiber Geometry on Soil Retention . . . 199
Part III: The Effect of Twist on Soil Retention . . . 358
(Rose, Mitton, Gardner, Laird). The Detection of Fungal Growth in Cellulosic Textiles . . . 99
BEAUMONT, R. H. (Houff, Wills). Chemical Damage in Wool. *Part II:* Effects of Alkaline Solutions . . . 196
(Houff, Wills). Chemical Damage in Wool. *Part III:* Effects of Aqueous Chlorine . . . 961
Correction . . . 701
BENDIGO, C. W. Creslan . . . 701
BERARD, W. NORBERT (Brysson, Bailey). Protective Treatments for Cotton Awnings . . . 209
BERKLEY, E. E. Cotton Merchandising Changes to Conform to Modern Mill Requirements . . . 712
Effect of Long Storage on Cotton—L . . . 171
BHUJANG, K. S. (Nanjundayya). A Note on the Determination of Crystallinity of Cotton Fiber by Iodine-Adsorption Method—L . . . 79
BIKALES, NORBERT M. (Black, Rapoport). The Cyanoethylation of Wool—L . . . 80
BLACK, JOSEPH J. (Bikales, Rapoport). The Cyanoethylation of Wool—L . . . 80
BLACKMON, JOHN E. (Journeay). Assay of Cyanoethylated Cotton—L . . . 166
BOGATY, HERMAN (Hollies, Harris). Some Thermal Properties of Fabrics. *Part I:* The Effect of Fiber Arrangement . . . 445
(Hollies, Kaessinger, Watson). Water Transport Mechanisms in Textile Materials. *Part II:* Capillary-Type Penetration in Yarn and Fabrics . . . 8
BOGDAN, J. F. Increasing Cotton Carding Production . . . 540
BOYD, S. N. (Schroeder). Dyes for the Hydrophobic Fibers . . . 275
BRADBURY, J. H. A New Approach to the Determination of the Accessibility of Wool to Sorbates—L . . . 829
BRENNER, F. C. Correction—Brenner and Scocca Article—L . . . 918
BROWN, HUGH M. (Graham). Sliver Evener for Roving Frames . . . 579
BROWN, JOHN J. (Howell, Fiori, Sands, Little). Evaluation of the Yarn Properties of a High-Strength Interspecies Cotton . . . 332
BRYSSON, RALPH J. (Berard, Bailey). Protective Treatments for Cotton Awnings . . . 209
BUBERNAK, JOSEPH (Baskin). Electroanalysis With Controlled Cathode Potential of Metallic Copper Applied to Fabrics as Metallo-Organic Fungicides . . . 878
BURAS, EDMUND M., JR. (Cashen, DuPré, Jr.). A Laboratory Apparatus for Chemical Modification of Cotton Yarn . . . 390
(Hamalainen, Wade). Fibrous Cellulose Esters by Trifluoroacetic Anhydride Method—L . . . 168
(Hobart, Hamalainen, Cooper, Jr.). A Preliminary Report on Fully Acetylated Cotton . . . 214
(Sloan, Sens). Experimental Yarns from Partially Acetylated Cotton and Blends with Untreated Cotton . . . 795
BURGIS, ALBERT W. (Orr, Weiss, Grant). Physical Properties of Fibers and Yarns of Partially Acetylated Cotton . . . 966
BURLEY, R. W. (Horden). The Action of N-Ethylmaleimide on Wool and its Use for the Estimation of Sulfhydryl Groups . . 615
BUXBAUM, J. K. (Walter, Green). The Mechanism of Crease Resistance Development on Cellulosic Fabrics Treated with Dimethylol Ethylene Urea . . . 146

CASHEN, NORTON A. (Buras, Jr., DuPré, Jr.). A Laboratory Apparatus for Chemical Modification of Cotton Yarn . . . 390
CHANCE, LEON H. (Reeves, Drake, Jr., Guthrie). Flame Retardants for Cotton Using APO- and APS-THPC Resins . . 260
CHAPMAN, WALTER E. JR. (Staten). Cotton Fiber Maturity Rapidly Predicted with Variable Volume of Sample in Micronaire—L . . . 991
CHOWDHURY, S. K. On the Size of the Intermicellar Spaces and Capillaries in Jute Fibers as Revealed by X-Ray Analysis . . 935
(Sen). The Crystallite Orientation in Different Varieties of Jute Fibers of Known Strength . . . 193
COLEMAN, BERNARD D. (Knox). The Interpretation of Creep Failure in Textile Fibers as a Rate Process . . . 393
Correction . . . 664
Correction . . . 898
COMPTON, JACK. Preliminary Report on Service Uses of Cyanoethylated Cotton Products . . . 222
CONDO, F. E. (Schroeder). Epoxy Resins in the Crease Proofing of Cotton . . . 135
COOKE, T. F. (Roth, Salsbury, Switlyk, van Loo). Comparison of Wrinkle-Resistant Finishes for Cotton . . . 150
COOPER, ALBERT S., JR. (Buras, Jr., Hobart, Hamalainen). A Preliminary Report on Fully Acetylated Cotton . . . 214
COOVER, H. W. JR. (Ivey, Wooten, Crawford). Verel–Eastman's Modified Acrylic Fiber . . . 745
CORLEY, J. R. (Simpson, Schnabel). Combed Roving Twist Formula . . . 812
CRAIG, R. ALLAN (Fourt, Rutherford). Cotton Fibers as Means of Transmitting Water Vapor . . . 362
CRAWFORD, R. T. (Coover, Jr., Ivey, Wooten). Verel–Eastman's Modified Acrylic Fiber . . . 745

DANA, W. K. Some Phases of Opening and Picking Evaluation . 584
DARUWALLA, E. H. (Subramaniam). Fiber Crystallinity During Acid Hydrolysis—L . . . 827
DeGRUY, INES V. (Tripp, Giuffria). Microscopical Observations on Partially Acetylated Cottons and Related Fibers . . . 14
DELANY, J. L. Effect of Heat and Ginning Operations on Spinning and Weaving—L . . . 175
Joanna's Report on Metallic Card Clothing . . . 551
DELMENICO, J. Melange or Vigoureux Printing of Wool: A Method for Increasing the Rate of Dye Fixation . . . 899
DEMINT, ROBERT J. (Hoffpauir). Influence of Pretreatment on the Reactivity of Cotton as Measured by Acetylation . . . 290
DETENBECK, J. (Menkart). The Significance of Wool Fiber Crimp. *Part I:* A Study on the Worsted System . . . 665
DIAMOND, W. J. (Levin). Evaluation of Soil Removal from Cotton Fabrics . . . 787
DOUGHERTY, JAMES E. (Keyser, Middleton). The Effect of Roll Run-Out in Spinning on Yarn Quality . . . 466

DRAKE, GEORGE L., JR. (Reeves, Chance, Guthrie). Flame Retardants for Cotton Using APO- and APS-THPC Resins . 260
DuPRÉ, A. MASON, JR. (Cashen, Buras, Jr.). A Laboratory Apparatus for Chemical Modification of Cotton Yarn 390

EARLAND, CHRISTOPHER. Some Observations on the Chemical Antifelting Reaction for Wool—**L** 587
EEG-OLOFSSON, TRYGGVE (Mörner). Measurement of the Shearing Properties of Fabrics 611
EWALD, P. R. (Landstreet). Uniformity Analysis of Yarns, Rovings, and Slivers Using Beta Radiation 493
(Landstreet, Simpson). The Relation of Twist to the Construction and Strength of Cotton Rovings and Yarns 486

FARNWORTH, A. J. A Hydrogen Bonding Mechanism for the Permanent Setting of Wool Fibers 632
FENNER, TERRENCE W. (Reinhardt, Reid). The Nonaqueous Carboxymethylation of Cotton 873
FERGUSON, A. W. (Scott). Aluminum Replicas of Fiber Surfaces for Light Microscopy—**L** 752
FEUGHELMAN, M. (Haly). Application of Statistical Theory of Elastomers to Supercontracted Keratin Fibers 919
FIORI, LOUIS A. (Brown, Howell, Sands, Little). Evaluation of the Yarn Properties of a High-Strength Interspecies Cotton 332
FOSTER, S. H. A Simplified Relationship between the Properties of Resin-Finished Cotton Fabric and the Solids Applied . . . 129
FOURT, LYMAN (Craig, Rutherford). Cotton Fibers as Means of Transmitting Water Vapor 362
(Quinn). Water-Resistant, Water Permeable Cotton Fabrics . 232
FRASER, R. D. B. (MacRae). Molecular Organization in Keratins. *Part I:* Introductory Survey 379
Part II: The Densities of Native Keratins 384
Part III: The Densities of Physically and Chemically Modified Wools 867
FRICK, JANE W. (Reeves, Guthrie). Carbamoylethylation of Cotton with Acrylamide 294
(Reeves, Guthrie). Chemical Modification of Cotton by Reaction with Activated Olefinic Compounds 92

GANTZ, G. M. (Sumner). Stable Ultraviolet Light Absorbers . . 244
GARDNER, B. J. (Rose, Mitton, Laird, Bayley). The Detection of Fungal Growth in Cellulosic Textiles 99
GASTROCK, EDWARD A. (Haydel, Janssen, Seal, Vix). Vapor Phase Method for Preparation of Polyacrylonitrile Coated Cotton Yarn and Physical Properties of the Product 975
GILFILLAN, EDWARD S. (Linden). Some Effects of Nuclear Irradiations on Cotton Yarn 87
GIUFFRIA, RUTH (Tripp, deGruy). Microscopical Observations on Partially Acetylated Cottons and Related Fibers 14
GOODINGS, A. C. (MacHattie, Turl). The Diffusion of Water Vapor through Laminae with Particular Reference to Textile Fabrics—**L** 418
GRAHAM, JOHN S. (Brown). Sliver Evener for Roving Frames 579
GRAHAM, R. T. The Application of Crease-Holding, Wrinkle-Resistant Treatments to Cotton Garments by Drycleaners . . 270
GRANT, JAMES N. (McDonald, Orr, Humphreys). Physical Properties of Chemically Modified Cottons. *Part III:* Effects of Mercerization 641
(Orr, Weiss, Burgis). Physical Properties of Fibers and Yarns of Partially Acetylated Cotton 966
GREEN, L. Q. (Walter, Buxbaum). The Mechanism of Crease Resistance Development on Cellulosic Fabrics Treated with Dimethylol Ethylene Urea 146
GRIFFITH, J. (Alexander). The Supercontraction of Wool in Solutions of Lithium Salts 755
GRUNTFEST, IRVING J. (Steele). An Analysis of Tearing Failure 307
GUTHRIE, JOHN D. (Frick, Reeves). Carbamoylethylation of Cotton with Acrylamide 294
(Frick, Reeves). Chemical Modification of Cotton by Reaction with Activated Olefinic Compounds 92
(Reeves, Drake, Jr., Chance). Flame Retardants for Cotton Using APO- and APS-THPC Resins 260
HALY, A. R. Observations Relating to Cortical Asymmetry in Wool—**L** 82
(Feughelman). Application of Statistical Theory of Elastomers to Supercontracted Keratin Fibers 919
HAMALAINEN, CARL (Buras, Jr., Hobart, Cooper, Jr.). A Preliminary Report on Fully Acetylated Cotton 214
(Wade, Buras, Jr.). Fibrous Cellulose Esters by Trifluoroacetic Anhydride Method—**L** 168
HANSEN, W. W. (Tabor). Hydrodynamic Factors in the Friction of Fibers and Yarns 300
HARMON, D. J. Effects of Cobalt 60 Gamma Radiation on the Physical Properties of Textile Cords 318
HARRIS, MILTON (Bogaty, Hollies). Some Thermal Properties of Fabrics. *Part I:* The Effect of Fiber Arrangement . . . 445
HAYDEL, CHESTER H. (Janssen, Seal, Vix). Improved Process for Cotton Decrystallization 622
(Janssen, Seal, Vix, Gastrock). Vapor Phase Method for Preparation of Polyacrylonitrile Coated Cotton Yarn and Physical Properties of the Product 975
HEARLE, J. W. S. Thermodynamic Relations Among Stresses, Deformations, and Moisture Absorption 940
HECKERT, W. W. Orlon Acrylic Fiber 719
(Richardson, Stanley). Recent Progress in Polyamide and Polyester Fibers 529
HERTEL, K. L. Fiber Strength as a Function of Fiber Length and Gauge Length 571
HESSLER, LYLE E. (Simmons, Lane). The Effect of Temperature on the Physical and Chemical Development of Cotton Fiber 412
HEYN, A. N. J. Bacteriological Studies on Cotton 591
The Interference Microscope in Fiber Research. *Part I:* Initial Studies on Rayon, Cotton, Wool and Synthetic Fibers . . . 449
HINDLE, W. H. Acrilan—Its Properties and Uses 726
HOBART, STANLEY R. (Buras, Jr., Hamalainen, Cooper, Jr.). A Preliminary Report on Fully Acetylated Cotton 214
HOFFPAUIR, CARROLL L. (Demint). Influence of Pretreatment on the Reactivity of Cotton as Measured by Acetylation 290
HOLLIES, NORMAN R. S. (Bogaty, Harris). Some Thermal Properties of Fabrics. *Part I:* The Effect of Fiber Arrangement 445
(Kaessinger, Watson, Bogaty). Water Transport Mechanisms in Textile Materials. *Part II:* Capillary-Type Penetration in Yarns and Fabrics 8
HONOLD, EDITH (Keating, Skau). Acid and Alkali Resistance of Partially Acetylated Cotton Fabrics 400
HORDEN, F. W. A. (Burley). The Action of N-Ethylmaleimide and its Use for the Estimation of Sulfhydryl Groups 615
HOUFF, W. H. (Wills, Beaumont). Chemical Damage in Wool. *Part II:* Effects of Alkaline Solutions 196
Part III: Effects of Aqueous Chlorine 961
HOWELL, NATHANIEL A. (Brown, Fiori, Sands, Little). Evaluation of the Yarn Properties of a High-Strength Interspecies Cotton 332
HOWSMON, J. A. (Marchessault). Experimental Evaluation of the Lateral-Order Distribution in Cellulose 30
HUMAN, J. P. E. (Lindley). The Reactivity of the Disulfide Bonds of Stretched Wool Fibers—**L** 917
HUMPHREYS, GERALDINE COUTURIER (McDonald, Orr, Grant). Physical Properties of Chemically Modified Cottons. *Part III:* Effects of Mercerization 641
HURWITZ, MELVIN D. The Application of Wrinkle-Resistant Treatments to Cotton Garments 267

IVEY, W. R. (Coover, Jr., Wooten, Crawford). Verel–Eastman's Modified Acrylic Fiber 745

JANSSEN, HERMANN J. (Haydel, Seal, Vix). Improved Process for Cotton Decrystallization 622
(Haydel, Seal, Vix, Gastrock). Vapor Phase Method for Preparation of Polyacrylonitrile Coated Cotton Yarn and Physical Properties of the Product 975
JOURNEAY, GLEN E. (Blackmon). Assay of Cyanoethylated Cotton—**L** 166
JURGENS, JULIAN F. (Klein, Weaver, Webre). The Cellulose-Alkali Hydroxide-Water System in the Cyanoethylation of Cotton Cellulose 50

KAESSINGER, MARTHA M. (Hollies, Watson, Bogaty). Water Transport Mechanisms in Textile Materials. *Part II:* Capillary-Type Penetration in Yarns and Fabrics 8
KATO, K. Direct Dye Staining of Viscose Rayon Cross Sections and Some of its Applications 803
KEATING, ESMOND J. (Honold, Skau). Acid and Alkali Resistance of Partially Acetylated Cotton Fabrics 400
KEYSER, WILLIAM R. (Middleton, Dougherty). The Effect of Roll Run-Out in Spinning on Yarn Quality 466
KLEIN, ELIAS (Weaver, Webre, Jurgens). The Cellulose-Alkali Hydroxide-Water System in the Cyanoethylation of Cotton Cellulose 50
KNOX, ANDREW G. (Coleman). The Interpretation of Creep Failure in Textile Fibers as a Rate Process 393
Correction 664
Correction 898
KOLAT, R. S. (Stillo). The Mode of Operation of Antiredeposition Agents in Detergent Solutions 949
KRASNY, J. F. (Sookne, Mallory, Phillips). The Effect of Construction on Certain Stress-Strain Properties of Uncoated and Coated Fortisan Fabrics 983
KYAME, GEORGE J. (Latour). The SRRL Integrated System for Opening and Cleaning Cotton—The Carding Cleaner and the Integrated Unit 565

LAIRD, D. M. (Rose, Mitton, Gardner, Bayley). The Detection of Fungal Growth in Cellulosic Textiles 99
LANDSTREET, C. B. (Ewald). Uniformity Analysis of Yarns, Rovings, and Slivers Using Beta Radiation 493
(Ewald, Simpson). The Relation of Twist to the Construction and Strength of Cotton Rovings and Yarns 486
LANE, HARRY C. (Hessler, Simmons). The Effect of Temperature on the Physical and Chemical Development of Cotton Fiber 412
LATOUR, WILLIAM A. (Kyame). The SRRL Integrated System for Opening and Cleaning Cotton—The Carding Cleaner and the Integrated Unit 565
LEMISZKA, T. (Whitwell). Reply to Valentine Letter—**L** 499
LE ROUX, P. L. (Speakman). The Plasticity of Wool. *Part III:* The Physical and Chemical Causes of Variation 1
LEVIN, H. (Diamond). Evaluation of Soil Removal from Cotton Fabrics 787
LINDEN, LEO (Gilfillan). Some Effects of Nuclear Irradiations on Cotton Yarn 87
LINDLEY, H. The Elastic Properties of Chemically Modified Wools and Their Implications for Theories of Wool Structure **(Human).** The Reactivity of the Disulfide Bonds of Stretched Wool Fibers—**L** 917
LINDSLEY, C. H. (Barrett). The Methylation of Cellulose Xanthate 767
LITTLE, HERSCHEL W. (Brown, Howell, Fiori, Sands). Evaluation of the Yarn Properties of a High-Strength Interspecies Cotton 332

LOEB, LEOPOLD (Philips, Segal). The Application of Fluorochemicals to Cotton Fabrics to Obtain Oil and Water Repellent Surfaces . . . 369

McDONALD, ALLAN W. (Orr, Humphreys, Grant). Physical Properties of Chemically Modified Cottons. *Part III:* Effects of Mercerization . . . 641

MACHATTIE, L. E. (Goodings, Turl). The Diffusion of Water Vapor through Laminae with Particular Reference to Textile Fabrics—L . . . 418

MACRAE, T. P. (Fraser). Molecular Organization in Keratins. *Part I:* Introductory Survey . . . 379
Part II: The Densities of Native Keratins . . . 384
Part III: The Densities of Physically and Chemically Modified Wools . . . 867

MALLORY, G. D. New Fibers in Tire Cords . . . 662
(Krasny, Sookne, Phillips). The Effect of Construction on Certain Stress–Strain Properties of Uncoated and Coated Dortisan Fabrics . . . 983

MARCHESSAULT, R. H. (Howsmon). Experimental Evaluation of the Lateral-Order Distribution in Cellulose . . . 30

MARSH, PAUL B. Microscopic Observations on Cotton Fibers Subjected to Enzymatic Degradation—L . . . 913

MARKEZICH, ANTHONY R. (Reid, Mazzeno, Jr., Reinhardt). Studies on Permanent Creasing of Cotton Garments . . . 252

MATELL, MAGNUS. Quantitative Determination of Cyclohexylamine in Rayon Spin Baths—L . . . 993

MAURICE, M. J. The Determination of Sulfur and its Compounds in Rayon . . . 774

MAZZENO, LAURENCE W., JR. (Reid, Reinhardt, Markezich). Studies on Permanent Creasing of Cotton Garments . . . 252

MAZUMDAR, A. K. (Saha, Sarkar). Acetone from Simple Sugars—L . . . 85

MEHTA, P. C. (Radhakrishnan, Shelat). The Resistance of Sized Yarns to Abrasion . . . 439
(Shah). Loom-Action-Type Abrader—L . . . 169

MENKART, J. The Steaming of Worsted Rovings . . . 186
(Detenbeck). The Significance of Wool Fiber Crimp. *Part I:* A Study on the Worsted System . . . 665

MERCER, E. H. The Fine Structure of Keratin . . . 860

MIDDLETON, JACK O. (Keyser, Dougherty). The Effect of Roll Run-Out in Spinning on Yarn Quality . . . 466

MITTON, M. (Rose, Gardner, Laird, Bayley). The Detection of Fungal Growth in Cellulosic Textiles . . . 99

MOORE, ANNA T. (Tripp, Rollins). The Surface of Cotton Fibers. *Part I:* Native Fibers . . . 419
Part II: Modified Fibers . . . 427

MOORE, J. E. (O'Connell). Properties of Wool Modified with Difunctional Isocyanates . . . 783

MÖRNER, BENGT (Eeg-Olofsson). Measurement of the Shearing Properties of Fabrics . . . 611

MUKOYAMA, S. (Tsuda). The Relationship of Experimentally Evaluated Lateral Order Distribution to the Skin–Core Effect of Viscose Rayon . . . 945

NANJUNDAYYA, C. (Bhujang). A Note on the Determination of Crystallinity of Cotton Fiber by Iodine-Adsorption Method —L . . . 79

NICKERSON, DOROTHY. A New Cotton Lustermeter for Yarns and Fibers . . . 111

NICKERSON, R. F. Modified Acid Colloid Process for Controlling Wool Fabric Shrinkage . . . 54

NIVEN, C. D. The Heat Transmission of Fabrics in Wind . . . 808

NIELSEN, MORRIS L. Fire-Resistant Treatment of Cotton Using Phosphorylamide . . . 603

NORDHAMMAR, G. (Waesterberg, Söderberg). The Measurement of the Uniformity of Spaces between Dents in Loom Reeds . . . 327

O'CONNELL, R. A. (Moore). Properties of Wool Modified with Difunctional Isocyanates . . . 783
(Walden). Influence of Ionizing Radiations on Wool Fiber Properties . . . 516

ORR, ROLLIN S. (McDonald, Humphreys, Grant). Physical Properties of Chemically Modified Cottons. *Part III:* Effects of Mercerization . . . 641
(Weiss, Burgis, Grant). Physical Properties of Fibers and Yarns of Partially Acetylated Cotton . . . 966

PACSU, EUGENE (Schwenker, Jr.). The Effect of Chemical Modification on the Flame and Glow Resistance of Cotton Cellulose—L . . . 173

PATT, D. H. (Stock). Strength Tests of Fiber Arrays . . . 124

PEACOCK, CHARLES L. (Porter, Tripp, Rollins). The Surface of the Cotton Fiber. *Part III:* Effects of Modification on Soil Resistance . . . 833

PECK, V. Fiber Replication for Light Microscopy—L . . . 751

PHILIPS, FREDERICK J. (Segal, Loeb). The Application of Fluorochemicals to Cotton Fabrics to Obtain Oil and Water Repellent Surfaces . . . 369

PHILLIPS, J. K. (Krasny, Sookne, Mallory). The Effect of Construction on Certain Stress–Strain Properties of Uncoated and Coated Fortisan Fabrics . . . 983

PORTER, BLANCHE R. (Peacock, Tripp, Rollins). The Surface of the Cotton Fiber. *Part III:* Effects of Modification on Soil Resistance . . . 833

QUINN, FRANK (Fourt). Water-Resistant, Water Permeable Cotton Fabrics . . . 232

RADHAKRISHNAN, T. (Mehta, Shelat). The Resistance of Sized Yarns to Abrasion . . . 439

RAPOPORT, LORENCE (Bikales, Black). The Cyanoethylation of Wool—L . . . 80

REBENFELD, L. The Effect of Processing on Cotton Fiber Properties . . . 473
(Virgin). Relation between the X-Ray Angle of Cottons and Their Fiber Mechanical Properties . . . 286

REESE, ELWYN T. (Segal, Tripp). The Effect of Cellulase on the Degree of Polymerization of Cellulose and Hydrocellulose . . . 626

REEVES, WILSON A. (Drake, Jr., Chance, Guthrie). Flame Retardants for Cotton Using APO- and APS-THPC Resins . . . 260
(Frick, Guthrie). Carbamoylethylation of Cotton with Acrylamide . . . 294
(Frick, Guthrie). Chemical Modification of Cotton by Reaction with Activated Olefinic Compounds . . . 92

REID, J. DAVID (Mazzeno, Jr., Reinhardt, Markezich). Studies on Permanent Creasing of Cotton Garments . . . 252
(Reinhardt). A Survey of Soluble Chemically Modified Cotton Fibers . . . 59
(Reinhardt, Fenner). The Nonaqueous Carboxymethylation of Cotton . . . 873

REINHARDT, ROBERT M. (Fenner, Reid). The Nonaqueous Carboxymethylation of Cotton . . . 873
(Reid). A Survey of Soluble Chemically Modified Cotton Fibers . . . 59
(Reid, Mazzeno, Jr., Markezich). Studies on Permanent Creasing of Cotton Garments . . . 252
(Tallant). The Influence of Micronaire Fineness and Prior Treatments on the Cyanoethylation of Cotton . . . 24

REMINGTON, W. R. (Schroeder). Theory of Dyeing Polyester and Polyacrylic Fibers . . . 177

RICHARDSON, G. M. (Stanley, Heckert). Recent Progress in Polyamide and Polyester Fibers . . . 529

ROLLINS, MARY L. (Porter, Peacock, Tripp). The Surface of the Cotton Fiber. *Part III:* Effects of Modification on Soil Resistance . . . 833
(Tripp, Moore). The Surface of Cotton Fibers. *Part I:* Native Fibers . . . 419
Part II: Modified Fibers . . . 427

ROSE, G. R. F. (Bayley). A Study of the Weathering Characteristics of Cotton Fabrics Containing Inorganic Compounds. *Part II:* Further Work on Copper-Chromium Treatments . . . 519
(Mitton, Gardner, Laird, Bayley). The Detection of Fungal Growth in Cellulosic Textiles . . . 99

ROSS, D. A. (Speakman). The Gravimetric Estimation of Medulla in Wool . . . 345

ROTH, P. B. (Cooke, Salsbury, Switlyk, van Loo). Comparison of Wrinkle-Resistant Finishes for Cotton . . . 150

RUSCA, R. A. (Young). The SRRL Integrated System for Opening and Cleaning Cotton—The Opener-Cleaner . . . 558

RUTHERFORD, MARJORIE B. (Fourt, Craig). Cotton Fibers as Means of Transmitting Water Vapor . . . 362

SAHA, P. K. (Mazumdar, Sarkar). Acetone from Simple Sugars —L . . . 85

SALSBURY, J. M. (Cooke, Roth, Switlyk, van Loo). Comparison of Wrinkle-Resistant Finishes for Cotton . . . 150

SANDS, JACK E. (Brown, Howell, Fiori, Little). Evaluation of the Yarn Properties of a High-Strength Interspecies Cotton . . . 332

SARKAR, P. B. (Saha, Mazumdar). Acetone from Simple Sugars —L . . . 85

SCHNABEL, G. G. (Simpson, Corley). Combed Roving Twist Formula . . . 812

SCHREIBER, WALTER T. Note on the Determination of the Insolubility of Chemically Modified Cotton in Cuprammonium Hydroxide Solution . . . 324

SCHROEDER, C. W. (Condo). Epoxy Resins in the Crease Proofing of Cotton . . . 135

SCHROEDER, H. E. (Boyd). Dyes for the Hydrophobic Fibers . . . 275
(Remington). Theory of Dyeing Polyester and Polyacrylic Fibers . . . 177

SCHULER, M. J. The Mechanism of Carrier Action in Dyeing Dacron Polyester Fiber . . . 352

SCHWENKER, ROBERT F., JR. (Pacsu). The Effect of Chemical Modification on the Flame and Glow Resistance of Cotton Cellulose—L . . . 173

SCOTT, R. G. (Ferguson). Aluminum Replicas of Fiber Surfaces for Light Microscopy—L . . . 752

SEAL, JEUEL F. (Haydel, Janssen, Vix, Gastrock). Vapor Phase Method for Preparation of Polyacrylonitrile Coated Cotton Yarn and Physical Properties of the Product . . . 975
(Janssen, Haydel, Vix). Improved Process for Cotton Decrystallization . . . 622

SEGAL, LEON (Philips, Loeb). The Application of Fluorochemicals to Cotton Fabrics to Obtain Oil and Water Repellent Surfaces . . . 369
(Reese, Tripp). The Effect of Cellulase on the Degree of Polymerization of Cellulose and Hydrocellulose . . . 626

SEHLY, A. A. H. ABOU (Tallant, Worner). A Comparison of Egyptian and American Methods for Evaluating Cotton Quality . . . 73

SEN, M. K. (Banerjee). Mechanism of Rupture of Jute Yarn under Tensile Stress . . . 846
(Banerjee). Structural Imperfections in Ramie and Jute . . . 313
(Chowdhury). The Crystallite Orientation in Different Varieties of Jute Fibers of Known Strength . . . 193

SENS, C. L. (Sloan, Buras Jr.). Experimental Yarns from Partially Acetylated Cotton and Blends with Untreated Cotton . . . 795

SHAH, C. C. (Mehta). Loom-Action-Type Abrader—L . . . 169

SHAPIRO, S. Standard Reference Fabrics for Soil Burial and Weathering Tests—L . . . 753

SHELAT, B. R. (Radhakrishnan, Mehta). The Resistance of Sized Yarns to Abrasion . . . 439

SHIOMI, A. (Uno). Continuous Twist Irregularity Tester 818
SIMMONS, CAROLE R. (Hessler, Lane). The Effect of Temperature on the Physical and Chemical Development of Cotton Fiber 412
SIMPSON, J. (Corley, Schnabel). Combed Roving Twist Formula 812
(Landstreet, Ewald). The Relation of Twist to the Construction and Strength of Cotton Rovings and Yarns 486
SKAU, EVALD L. (Honold, Keating). Acid and Alkali Resistance of Partially Acetylated Cotton Fabrics 400
SLEN, S. B. (Banky). An Improved Fiber Rotator—**L** 417
SLOAN, W. G. (Sens, Buras Jr.). Experimental Yarns from Partially Acetylated Cotton and Blends with Untreated Cotton . . 795
SMITH, R. D. Darlan—The First Dinitrile Fiber 730
SÖDERBERG, L. (Waesterberg, Nordhammar). The Measurement of the Uniformity of Spaces between Dents in Loom Reeds 327
SOOKNE, ARNOLD M. An Appraisal of Shrink-Resistant Treatments for Wool 652
(Kraany, Mallory, Phillips). The Effect of Construction on Certain Stress–Strain Properties of Uncoated and Coated Fortisan Fabrics 893
SPEAKMAN, J. B. (le Roux). The Plasticity of Wool. *Part III:* The Physical and Chemical Causes of Variation 1
(Ross). The Gravimetric Estimation of Medulla in Wool . . . 345
SPROKEL, G. J. Electrostatic Properties of Finished Cellulose Acetate Yarn 501
STANLEY, H. E. (Richardson, Heckert). Recent Progress in Polyamide and Polyester Fibers 529
STANTON, G. W. Zefran 703
STATEN, GLEN (Chapman Jr.). Cotton Fiber Maturity Rapidly Predicted with Variable Volume of Sample in Micronaire—**L** . 991
STATHAM, KENNETH W. The Treatment of Wool with Acid Bromate Solutions 41
STEELE, R. A Method for Studying the Deformation of Fabrics in Creasing 695
(Gruntfest). An Analysis of Tearing Failure 307
STEIGER, FRED H. The Yellowing of Nylon 459
STILLO, H. S. (Kolat). The Mode of Operation of Antiredeposition Agents in Detergent Solutions 949
STOCK, C. R. (Patt). Strength Tests of Fiber Arrays 124
STOUT, EVELYN E. A New Abrasion Machine 649
SUBRAMANIAM, P. (Daruwalla). Fiber Crystallinity During Acid Hydrolysis—**L** 827
SUMNER, W. G. (Gantz). Stable Ultraviolet Light Absorbers . . 244
SWALM, J. M. Inertness, Covering Power, and Thermal Pliability Characterize Dynel 738
SWITLYK, G. (Cooke, Roth, Salsbury, van Loo). Comparison of Wrinkle-Resistant Finishes for Cotton 150
SZALOKI, ZOLTAN. Studies on Cotton Opening and Cleaning . 480

TABOR, D. (Hansen). Hydrodynamic Factors in the Friction of Fibers and Yarns 300
TALLANT, J. D. Automatic Ignition and Timing of the Flame in the Vertical Fire Resistance Test—**L** 825
Nomograph for extending the Range of the Arealometer 436
(Reinhardt). The Influence of Micronaire Fineness and Prior Treatments on the Cyanoethylation of Cotton 24
(Sehly, Worner). A Comparison of Egyptian and American Methods for Evaluating Cotton Quality 73
TIMELL, T. E. Some Properties of Native Hemp, Jute, and Kapok Celluloses 854
TRIPP, VERNE W. (Clayton, Porter). Soil-Resistant Finish for Cotton Fabrics—**L** 340
(Giuffria, deGruy). Microscopical Observations on Partially Acetylated Cottons and Related Fibers 14
(Moore, Rollins). The Surface of Cotton Fibers. *Part I:* Native Fibers 419
Part II: Modified Fibers 427
(Porter, Peacock, Rollins). The Surface of the Cotton Fiber. *Part III:* Effects of Modification on Soil Resistance 833
(Reese, Segal). The Effect of Cellulase on the Degree of Polymerization of Cellulose and Hydrocellulose 626
TROMMER, CHARLES R. Identification of Sizings on Fabrics Woven from Synthetic Filament Yarn 66
TSUDA, Y. (Mukoyama). The Relationship of Experimentally Evaluated Lateral Order Distribution to the Skin–Core Effect of Viscose Rayon 945
TURL, L. H. (MacHattie, Goodings). The Diffusion of Water Vapor through Laminae with Particular Reference to Textile Fabrics—**L** 418

UNO, M. (Shiomi). Continuous Twist Irregularity Tester 818

VALENTINE, LESLIE. Stress-Relaxation Method of Determining the Accessibility of Fibers to Hydrochloric Acid—**L** 498
VALKO, EMERY I. The Theory of Dyeing Cellulosic Fibers . . 883
VAN LOO, W. J. (Cooke, Roth, Salsbury, Switlyk). Comparison of Wrinkle-Resistant Finishes for Cotton 150
VIRGIN, W. P. (Rebenfeld). Relation between the X-Ray Angle of Cottons and Their Fiber Mechanical Properties 286
VIX, HENRY L. E. (Haydel, Janssen, Seal, Gastrock). Vapor Phase Method for Preparation of Polyacrylonitrile Coated Cotton Yarn and Physical Properties of the Product 975
(Janssen, Haydel, Seal). Improved Process for Cotton Decrystallization 622

WADE, RICARDO H. (Hamalainen, Buras, Jr.). Fibrous Cellulose Esters by Trifluoroacetic Anhydride Method—**L** . . 168
WAESTERBERG, LARS. Sources of Error in the Measurement of Yarn Tensile Forces With a Combination of Mechanical and Electronic Components 925
(Söderberg, Nordhammar). The Measurement of the Uniformity of Spaces between Dents in Loom Reeds 327
WALDEN, M. K. (O'Connell). Influence of Ionizing Radiations on Wool Fiber Properties 516
WALTER, H. C. (Buxbaum, Green). The Mechanism of Crease Resistance Development on Cellulosic Fabrics Treated with Dimethylol Ethylene Urea 146
WATSON, BARBARA S. (Hollies, Kaessinger, Bogaty). Water Transport Mechanisms in Textile Materials. *Part II:* Capillary-Type Penetration in Yarns and Fabrics 8
WEATHERBURN, A. S. (Bayley). The Soiling Characteristics of Textile Fibers. *Part II:* The Influence of Fiber Geometry on Soil Retention 199
Part III: The Effect of Twist on Soil Retention 358
WEAVER, J. W. (Klein, Webre, Jurgens). The Cellulose-Alkali Hydroxide-Water System in the Cyanoethylation of Cotton Cellulose 50
WEBRE, BEVERLY G. (Klein, Weaver, Jurgens). The Cellulose-Alkali Hydroxide-Water System in the Cyanoethylation of Cotton Cellulose 50
WEISS, LOUIS C. (Orr, Burgis, Grant). Physical Properties of Fibers and Yarns of Partially Acetylated Cotton 966
WHITWELL, J. C. (Lemiszka). Reply to Valentine Letter—**L** . 499
WILLS, C. J. (Houff, Beaumont). Chemical Damage in Wool. *Part II:* Effects of Alkaline Solutions 196
Part III: Effects of Aqueous Chlorine 961
WOOTEN, W. C. (Coover, Jr., Ivey, Crawford). Verel–Eastman's Modified Acrylic Fiber 745
WORNER, RUBY K. (Sehly, Tallant). A Comparison of Egyptian and American Methods for Evaluating Cotton Quality . 73

YOUNG, R. C. (Rusca). The SRRL Integrated System for Opening and Cleaning Cotton—The Opener-Cleaner 558

SUBJECT INDEX

ABRADER, loom-action type (*Mehta, Shah*)—**L** 169
ABRASION machine, a new (*Sicul*) 649
ABRASION, the resistance of sized yarns to (*Radhakrishnan, Mehta, Sheiat*) 439
ACETONE from simple sugars (*Saha, Mazumdar, Sarkar*)—**L** . . . 85
ACETYLATION
acid and alkali resistance of partially acetylated cotton (*Honold, Keating, Skau*) 400
partial—experimental yarns from partially acetylated cotton and blends with untreated cotton (*Sloan, Sens, Buras*) 795
physical properties of fibers and yarns of partially acetylated cottons (*Orr, Weiss, Burgis, Grant*) 966
preliminary report on fully acetylated cotton (*Buras, Hobart, Hamalainen, Cooper*) 214
pretreatment, influence of on the reactivity of cotton as measured by acetylation (*Demint, Hoffpauir*) 290
ACID HYDROLYSIS
fiber crystallinity during (*Daruwalla, Subramaniam*)—**L** 827
ACRILAN—its properties and uses (*Hindle*) 726
ALUMINUM REPLICAS of fiber surfaces for light microscopy (*Ferguson, Scott*)—**L** 752
ANALYSIS
action of N-maleimide on wool and its use for the estimation of sulfhydryl groups (*Burley, Horden*) 615
determination of sulfur and its compounds in rayon (*Maurice*) 774
electro, with controlled cathode potential of metallic copper applied to fabrics as metallo-organic fungicides (*Bubernak, Baskin*) 878
quantitative determination of cyclohexylamine in rayon spin baths (*Malell*)—**L** 993
AREALOMETER, nomograph for extending the use of (*Tallani*) . . 436
AWNINGS, cotton, protective treatments for (*Bryson, Berard, Bailey*) 209

BACTERIOLOGICAL STUDIES on cotton (*Heyn*) 591
BACTERIOLOGICAL STUDIES
the detection of fungal growth in cellulosis textiles (*Rose, Milton, Gardner, Laird, Bayley*) 99

CARBAMOYLETHYLATION
of cotton with acrylamide (*Frick, Reeves, Guthrie*) 294
CARBOXYMETHYLATION
of cotton, the nonaqueous (*Reinhardt, Fenner, Reid*) 873
CARDING CLEANER and integrated unit, the SRRL integrated system for opening and cleaning cotton (*Kyame, Lalour*) . . . 565
CELLULASE
effect on the degree of polymerization of cellulose and hydrocellulose (*Reese, Segal, Tripp*) 626
CELLULOSE
effect of cellulase on the degree of polymerization of hydrocellulose and (*Reese, Segal, Tripp*) 626
lateral-order distribution, experimental evaluation of (*Marchessault, Howsmon*) 30
CELLULOSE ACETATE yarn, electrostatic properties of (*Sprokel*) 501
CELLULOSE ESTERS (fibrous) by trifluoroacetic anhydride method (*Hamalainen, Wade, Buras*)—**L** 168
CELLULOSE XANTHATE
methylation of (*Barrett, Lindsley*) 767
CELLULOSIC TEXTILES, the detection of fungal growth in (*Rose, Milton, Gardner, Laird, Bayley*) 99
CHEMICAL MODIFICATION
See also **Carboxymethylation, Cotton, Acetylation,** *etc.*
cuprammonium hydroxide solution, note on the determination of the insolubility of chemically modified cotton in (*Schrieber*) 324
CHLORINE
Aqueous, effects of on wool (*Houff, Wills, Beaumont*) 961
COPPER-CHROMIUM COMPOUNDS
weathering characteristics of cotton fabrics treated with (*Rose, Bayley*) 519
CORRECTIONS
Brenner and Scocca article (*Brenner*)—**L** 918
Coleman and Knox article 664
Coleman and Knox article 898
COTTON
acetylated (fully), a preliminary report on (*Buras, Hobart, Hamalainen, Cooper*) 214
acetylation, influence of pretreatment on the reactivity of cotton as measured by (*Demint, Hoffpauir*) 290
acid and alkali resistance of partially acetylated fabrics (*Honold, Keating, Skau*) 400
awnings, protective treatments for (*Bryson, Berard, Bailey*) . . . 209
bacteriological studies on (*Heyn*) 591
beta radiation, the uniformity analysis of yarns, rovings, and slivers using (*Ewald, Landstreet*) 493
carbamoylethylation with acrylamide (*Frick, Reeves, Guthrie*) . . 294
carboxymethylation of, the nonaqueous (*Reinhardt, Fenner, Reid*) 873
carding cleaner and integrated unit, the SRRL integrated system for opening and cleaning cotton (*Kyame, Lalour*) . . . 565
carding production, increasing (*Bogdan*) 540
chemically modified, note on the determination of insolubility in cuprammonium hydroxide solution (*Schrieber*) 324
the physical properties of—effects of mercerization (*McDonald, Orr, Humphreys, Grant*) 641
soluble fibers, a survey of (*Reinhardt, Reid*) 59
chemical modification by reaction with activated olefinic compounds (*Frick, Reeves, Guthrie*) 92
the effect of on the flame and glow resistance of cotton cellulose (*Pacsu, Schwenker*) 173
copper-chromium compounds, weathering characteristics of fabrics treated with (*Rose, Bayley*) 519
creaseproofing, epoxy resins in (*Schroeder, Condo*) 135
cyanoethylated, assay of (*Journeay, Blackmon*)—**L** 166
preliminary report on service uses of products (*Compton*) . . . 222
cyanoethylation, the effect of Micronaire fineness and prior treatment on (*Reinhardt, Tallant*) 24
decrystallization, improved process for (*Janssen, Haydel, Seal, Vix*) 622
epoxy resins in the creaseproofing of (*Schroeder, Condo*) 135
fiber mechanical properties, relation to X-ray angles of (*Rebenfeld, Virgin*) 286
fire-resistant treatment of, using phosphorylamide (*Nielson*) . 603
flame and glow resistance of cotton cellulose, the effect of chemical modification on (*Pacsu, Schwenker*) 173
flame retardants using APO- and APS-THPC resins (*Reeves, Drake, Chance, Guthrie*) 260
long storage, effect of on (*Berkley*)—**L** 171
lustermeter, a new, for yarns and fibers (*Nickerson*) 111
merchandising changes to conform with modern mill requirements (*Berkley*) 712
metallic card clothing, Joanna's report on (*Delany*) 551
microscopical observations on partially acetylated cotton and other fibers (*Tripp, Giuffria, deGruy*) 14
oil and water repellent surfaces, the application of fluorochemicals to fabrics to obtain (*Phillips, Segal, Loeb*) 369
opener-cleaner, the SRRL integrated system for opening and cleaning cotton (*Rusca, Young*) 558
opening and cleaning, studies on (*Szaloki*) 480
opening and picking evaluation, some phases of (*Dana*) 584
partially acetylated, acid and alkali resistance of fabrics (*Honold, Keating, Skau*) 400
experimental yarns from partially acetylated cotton and blends with untreated cotton (*Sloan, Sens, Buras*) 795
microscopical observations on, and related fibers (*Tripp, Giuffria, deGruy*) 14
physical properties of fibers and yarns of (*Orr, Weiss, Burgis, Grant*) 966
permanent creasing of cotton garments, studies on (*Reid, Mazzeno, Reinhardt, Markezich*) 252
pretreatment, influence of on reactivity as measured by acetylation (*Demint, Hoffpauir*) 290
processing, the effect on fiber properties (*Rebenfeld*) 473
quality evaluation, a comparison of Egyptian and American methods of (*Sekly, Tallant, Worner*) 73
reactivity of, influence of pretreatment as measured by acetylation (*Demint, Hoffpauir*) 290
resin-finished, a simplified relationship between the fabric and the solids applied (*Foster*) 129
resin-treated, epoxy resins in the crease proofing of cotton (*Schroeder, Condo*) 135
roving frames, sliver evener for (*Brown, Graham*) 579
soil resistant finish for fabrics (*Tripp, Clayton, Porter*)—**L** . . . 340
spinning; the effect of roll run-out on yarn quality (*Keyser, Middleton, Dougherty*) 466
twist, the relation of to the construction and strength of rovings and yarns (*Landstreet, Ewald, Simpson*) 486
ultraviolet light absorbers, stable (*Ganiz, Sumner*) 244
uniformity analysis of yarns, rovings, and slivers using beta radiation (*Ewald, Landstreet*) 493
water-resistant, water vapor permeable fabrics (*Fourt, Quinn*) . 232
wrinkle-resistant and crease-holding treatments, the application of to garments by drycleaners (*Graham*) 270
wrinkle-resistant finishes, the application of to garments (*Hurwits*) 267
a comparison of (*Cooke, Roth, Salsbury, Swillyk, van Loo*) . . . 150
x-ray angles of, relation to fiber mechanical properties (*Rebenfeld, Virgin*) 286
COTTON CELLULOSE
cyanoethylation, the cellulose-alkali hydroxide-water system in (*Klein, Weaver, Webre, Jurgens*) 50
COTTON FABRICS
soil removal from, evaluation of (*Diamond, Levin*) 787
COTTON FIBER
crystallinity, a note on the determination of by iodine-adsorption method (*Ehujang, Nanjundayya*)—**L** 79
the effect of temperature on the physical and chemical development of (*Hessler, Simmons, Lane*) 412
high-strength interstices cotton, evaluation of the yarn properties of (*Brown, Howell, Fiori, Sands, Little*) 332
maturity rapidly predicted with variable volume of sample in Micronaire (*Chapman, Staten*) 991
surface of, effects of modification on soil resistance (*Porter, Peacock, Tripp, Rollins*) 833
COTTON FIBERS, as a means of transmitting water vapor (*Fourt, Craig, Rutherford*) 362
microscopic observations of fibers subjected to enzymatic degradation (*Marsh*)—**L** 913
surface of modified fibers (*Tripp, Moore, Rollins*) 427
surface of native fibers (*Tripp, Moore, Rollins*) 419

COTTON YARN
chemical modification of, a laboratory apparatus for (*Cashen, Buras, DuPré*) . . . 390
evaluation of the properties of a high-strength interspecies cotton (*Brown, Howell, Fiori, Sands, Little*) . . . 332
experimental, from partially acetylated cotton and blends with untreated cotton (*Sloan, Sens, Buras*) . . . 795
nuclear irradiation, some effects of (*Gilfillan, Linden*) . . . 87
polyacrylonitrile coated, vapor phase method for preparation of and physical properties of (*Haydel, Janssen, Seal, Vix, Gastrock*) 975
CREASE PROOFING
epoxy resins in the crease proofing of cotton (*Schroeder, Condo*) . 135
CREASE RESISTANCE
dimethylol ethylene urea, mechanism of crease resistance development on cellulose fabrics treated with (*Walter, Buxbaum, Green*) . . . 146
CREEP failure in textile fibers, the interpretation of as a rate process (*Coleman, Knox*) . . . 393
Correction . . . 664
Correction . . . 898
CRESLAN (*Bendigo*) 701
CUPRAMMONIUM HYDROXIDE SOLUTION, note on the determination of the insolubility of chemically modified cotton in (*Schrieber*) . . . 324
CYANOETHYLATION
assay of cyanoethylated cotton (*Journeay, Blackmon*)—**L** . . . 166
cellulose-alkali hydroxide-water system in the cyanoethylation of cotton cellulose (*Klein, Weaver, Webre, Jurgens*) . . . 50
micronaire fineness and prior treatments, their influence on the cyanoethylation of cotton (*Reinhardt, Tallant*) . . . 24
of wool (*Bikales, Black, Rapoport*)—**L** . . . 80
preliminary report on service uses of cyanoethylated cotton products (*Compton*) . . . 222
CYCLOHEXYLAMINE
quantitative determination of, in rayon spin baths (*Matell*)—**L** 993

DACRON, the mechanism of carrier action in dyeing fibers (*Schuler*) 352
polyester fibers, the mechanism of carrier action in dyeing (*Schuler*) . . . 352
DARLAN—the first dinitrile fiber (*Smith*) . . . 730
DEFORMATION
of fabrics in creasing, a method for studying (*Steele*) . . . 695
thermodynamic relations among stresses, moisture absorption, and (*Hearle*) . . . 940
DEGRADATION
cotton fibers, microscopic observations of, subjected to enzymatic degradation (*Marsh*)—**L** . . . 913
DEGRADATION, factors influencing. *See also* **Fungal Growth, Bacterial Studies**
DIMETHYLOL ETHYLENE UREA
mechanism of crease resistance development on cellulose fabrics treated with (*Walter, Buxbaum, Green*) . . . 146
DYEING
cellulosic fibers, the theory of (*Valko*) . . . 883
Dacron polyester fibers, the mechanism of carrier action in (*Schuler*) . . . 352
melange or vigoureux printing of wool—a method for increasing the rate of dye fixation (*Delmenico*) . . . 899
polyester and polyacrylic fibers, theory of (*Remington, Schroeder*) 177
DYES for the hydrophobic fibers (*Schroeder, Boyd*) . . . 275
DYNEL—inertness, covering power, and thermal pliability characterize (*Swaim*) . . . 738

ELECTROANALYSIS
with controlled cathode potential of metallic copper applied to fabrics as metallo-organic fungicides (*Bubernak, Baskin*) . . . 878
ELECTROSTATIC PROPERTIES of finished cellulose acetate yarn (*Sprokel*) . . . 501

FABRICS
See also **Cotton, Wool, Synthetics,** *etc.*
cotton, partially acetylated; acid and alkali resistance of (*Honold, Keating, Skau*) . . . 400
crease resistance development on cellulose fabrics treated with dimethylol ethylene urea (*Walter, Buxbaum, Green*) . . . 146
diffusion of water vapor through laminae with special reference to (*MacHattie, Goodings, Turl*)—**L** . . . 418
measurement of the shearing properties of (*Mörner, Eeg-Olofsson*) 611
method for studying the deformation of fabrics in creasing (*Steele*) 695
soil resistant finish for cotton fabrics (*Tripp, Clayton, Porter*) . . . 340
tearing failure, and analysis of (*Steele, Grunfest*) . . . 307
thermal properties of, the effects of fiber arrangement (*Bogaty, Hollies, Harris*) . . . 445
water-resistant, water vapor permeable cotton fabrics (*Fourt, Quinn*) . . . 232
weathering characteristics of fabrics treated with copper-chromium compounds (*Rose, Bayley*) . . . 519
FIBER
crystallinity during acid hydrolysis (*Daruwalla, Subramaniam*)—**L** 827
replication for light microscopy (*Peck*)—**L** . . . 751
FIBER PROPERTIES
processing, the effect on cotton (*Rebenfeld*) . . . 473
FIBER ROTATOR, an improved (*Banky, Slen*)—**L** . . . 417
FIBERS
accessibility of to hydrochloric acid, the stress-relaxation method of determining (*Valentine*)—**L** reply by Whitwell and Lemiszka 498
cellulosic, the theory of dyeing (*Valko*) . . . 883
fiber geometry, the effect on soil retention of (*Weatherburn, Bayley*) . . . 199
fiber strength as a function of fiber length and gauge length (*Hertel*) . . . 571
hydrodynamic factors in the friction of yarns and (*Hansen, Tabor*) . . . 300
hydrophobic, dyes for (*Schroeder, Boyd*) . . . 275
improved fiber rotator for surface structure study of (*Banky, Slen*)—**L** . . . 417
in tire cords, new (*Mallory*) . . . 662
interpretation of creep failure in textile fibers as a rate process (*Coleman, Knox*) . . . 393
Correction . . . 664
Correction . . . 898
polyamide and polyester, recent progress in (*Richardson, Stanley, Heckert*) . . . 529
soil retention, the effect of fiber geometry on (*Weatherburn, Bayley*) . . . 199
the effect of twist upon (*Weatherburn, Bayley*) . . . 358
strength tests of fiber arrays (*Pall, Stock*) . . . 124
twist, effect on soil retention of (*Weatherburn, Bayley*) . . . 358
FIRE RESISTANCE
phosphorylamide, fire-resistant treatment of cotton using (*Nielson*) . . . 603
FIRE RESISTANCE TEST
automatic ignition and timing of the flame in the vertical (*Tallant*)—**L** . . . 825
FLAME AND GLOW RESISTANCE
chemical modification, the effect of on the flame and glow resistance of cotton cellulose (*Pacsu, Schwenker*)—**L** . . . 173
FLAME RETARDANTS
for cotton, using APO- and APS-THPC resins (*Reeves, Drake, Chance, Guthrie*) . . . 260
FORTISAN
effect of construction on certain stress–strain properties of uncoated and coated Fortisan fabrics (*Krasny, Sookne, Mallory, Phillips*) . . . 983
FUNGAL GROWTH, the detection of in cellulosic textiles (*Rose, Milton, Gardner, Laird, Bayley*) . . . 99
FUNGICIDES
electroanalysis with controlled cathode potential of metallic copper applied to fabrics as metallo-organic fungicides (*Bubernak, Baskin*) . . . 878

GAMMA RADIATION (Cobalt 60), effects of on the physical properties of textile cords (*Harmon*) . . . 318

HEAT AND GINNING OPERATIONS, effects of on spinning and weaving (*Delany*)—**L** . . . 175
HEAT TRANSMISSION of fabrics in wind (*Niven*) . . . 808
HYDROCELLULOSE
the effect of cellulase on the degree of polymerization of cellulose and (*Reese, Segal, Tripp*) . . . 626
HYDRODYNAMIC FACTORS in the friction of fibers and yarns (*Hansen, Tabor*) . . . 300

INTERFERENCE MICROSCOPE in fiber research: initial studies on rayon, cotton, wool, and synthetic fibers (*Heyn*) . . . 449
ISOCYANATES
difunctional, properties of wool modified with (*Moore, O'Connell*) 783

JUTE
chemical analysis of (*Saha, Mazumdar, Sarkar*)—**L** . . . 85
crystallite orientation in different varieties of fibers of known strength (*Sen, Chowdhury*) . . . 193
intermicellar spaces and capillaries, the size of in jute fibers as revealed by X-ray analysis (*Chowdhury*) . . . 935
mechanism of rupture of yarn under tensile stress (*Banerjee, Sen*) 846
structural imperfections in ramie and (*Banerjee, Sen*) . . . 313

KERATIN
fine structure of (*Mercer*) . . . 860
supercontracted fibers, the application of statistical theory of elastomers to (*Haly, Feughelman*) . . . 919
KERATINS
See also **Wool,** *etc.*
density of native (*Fraser, MacRae*) . . . 384
molecular organization in (*Fraser, MacRae*) . . . 379
the densities of physically and chemically modified wools (*Fraser, MacRae*) . . . 867

LITHIUM SALTS
supercontraction of wool in solutions of (*Griffith, Alexander*) . . 755
LOOM REEDS, measurement of the uniformity of spaces between dents in (*Waesterberg, Söderberg, Nordhammar*) . . . 327

MATURITY
of cotton fibers rapidly determined with variable volume of sample in Micronaire (*Chapman, Staten*) . . . 991
MECHANICAL PROCESSING
abrader, loom-action type (*Mehta, Shah*)—**L** . . . 169
abrasion machine, a new (*Stout*) . . . 649
cotton carding production, increasing (*Bogdan*) . . . 540
cotton decrystallization, improved process for (*Janssen, Haydel, Seal, Vix*) . . . 622
cotton opening and cleaning, studies on (*Szaloki*) . . . 480
loom reeds, measurement of the uniformity of spaces between dents in (*Waesterberg, Söderberg, Nordhammar*) . . . 327
metallic card clothing, Joanna's report on (*Delany*) . . . 551
opening and cleaning cotton; the SRRL carding cleaner and the integrated unit (*Kyame, Latour*) . . . 565
the SRRL opener-cleaner (*Rusca, Young*) . . . 558
opening and picking evaluation, some phases of (*Dana*) . . . 584
sliver evener for roving frames (*Brown, Graham*) . . . 579

spinning and weaving, effect of heat and ginning operations on (*Delany*)—**L** 175
spinning, effect of roll run-out on yarn quality (*Keyser, Middleton, Dougherty*) 466
MELANGE OR VIGOUREUX PRINTING
a method of increasing the rate of dye fixation on wool (*Delmenico*) 899
MERCERIZATION
effects on physical properties of cotton (*McDonald, Orr, Humphreys, Grant*) 641
METHYLATION
of cellulose xanthate (*Barrett, Lindsley*) 767
MICRONAIRE
cotton fiber maturity rapidly predicted with variable volume of sample in (*Chapman, Stalen*) 991
MICRONAIRE FINENESS
and prior treatments, their influence on the cyanoethylation of cotton (*Reinhardt, Tallant*) 24
MICROSCOPICAL STUDIES
aluminum replicas of fiber surfaces for light microscopy (*Ferguson, Scott*)—**L** 752
cotton fibers
modified, the surface of (*Tripp, Moore, Rollins*) 427
native, the surface of (*Tripp, Moore, Rollins*) 419
subjected to enzymatic degradation (*Marsh*)—**L** 913
direct dye staining of viscose rayon cross sections and some of its applications (*Kato*) 803
interference microscope; initial studies on rayon, cotton, wool, and synthetic fibers (*Heyn*) 449
on partially acetylated cottons and related fibers (*Tripp, Giuffria, deGruy*) 14
MICROSCOPY
light, fiber replication for (*Peck*)—**L** 751
MOISTURE ABSORPTION
thermodynamic relations among stresses, deformation, and (*Hearle*) 940

NUCLEAR IRRADIATION, some effects on cotton yarn (*Gilfillan, Linden*) 87
NYLON, the yellowing of (*Steiger*) 459

OLEFINIC COMPOUNDS (activated), the chemical modification of cotton by reaction with (*Frick, Reeves, Guthrie*) 92
OPENER-CLEANER
the SRRL integrated system for opening and cleaning cotton (*Rusca, Young*) 558
ORLON acrylic fiber (*Heckert*) 719

POLYACRYLONITRILE COATED YARNS, vapor phase method for preparation of and physical properties of the product (*Haydel, Janssen, Seal, Vix, Gastrock*) 975
POLYAMIDE AND POLYESTER FIBERS, recent progress in (*Richardson, Stanley, Heckert*) 529
POLYESTER AND POLYACRYLIC FIBERS
dyeing, theory of (*Remington, Schroeder*) 177

RADIATION
beta radiation, uniformity analysis of yarns, rovings, and slivers using (*Ewald, Landstreet*) 493
Cobalt 60 gamma radiation, the effects of on the physical properties of textile cords (*Harmon*) 318
ionizing, influence of on wool fiber properties (*O'Connell, Walden*) 516
nuclear, effects on cotton yarn (*Gilfillan, Linden*) 87
RAMIE, structural imperfections in jute and (*Banerjee, Sen*) 313
RAYON
determination of sulfur and its compounds in (*Maurice*) 774
direct dye staining of viscose cross sections and some of its applications (*Kato*) 803
skin-core effect, the relation of experimentally evaluated lateral order distribution to (*Tsuda, Mukoyama*) 945
spin baths, quantitative determination of cyclohexylamine in (*Matell*)—**L** 993
RESINS
epoxy, in the crease proofing of cotton (*Schroeder, Condo*) 135
flame retardants for cotton using APO- and APS-THPC resins (*Reeves, Drake, Chance, Guthrie*) 260
simplified relationship between the properties of resin-finished cotton fabric and the solids applied (*Foster*) 129
ROVING FRAMES
sliver evener for (*Brown, Graham*) 579

SHEARING PROPERTIES
of fabrics, measurement of (*Mörner, Eeg-Olofsson*) 611
SIZINGS
identification of on fabrics woven from synthetic filament yarn (*Trommer*) 66
SOIL BURIAL
and weathering tests, standard reference fabrics for (*Shapiro*)—**L** 753
SOIL REMOVAL
from cotton fabrics, evaluation of (*Diamond, Levin*) 787
SOIL RESISTANCE
modification of the cotton fiber surface, effect on (*Porter, Peacock, Tripp, Rollins*) 846
soil resistant finish for cotton fabrics (*Tripp, Claylon, Porter*)—**L** 340
SOIL RETENTION
the effect of twist on (*Weatherburn, Bayley*) 358
influence of fiber geometry on (*Weatherburn, Bayley*) 199
SPINNING
effect of heat and ginning operations on weaving and (*Delany*)—**L** 175
STANDARD REFERENCE FABRICS for soil burial and weathering tests (*Shapiro*)—**L** 753

STATISTICAL THEORY
of elastomers, application of to supercontracted keratin fibers (*Haly, Feughelman*) 919
STRESSES
thermodynamic relations among moisture absorption, deformation, and (*Hearle*) 940
SULFUR
and its compounds, the determination of in rayon (*Maurice*) 774
SYNTHETIC FIBERS
Acrilan—its properties and uses (*Hindle*) 726
Creslan (*Bendigo*) 701
Darlan—the first dinitrile fiber (*Smith*) 730
Dynel; inertness, covering power, and thermal pliability characterize (*Swalm*) 738
Fortisan, the effect of construction on certain stress-strain properties of uncoated and coated fabrics (*Krasny, Sookne, Mallory, Phillips*) 983
Orlon acrylic fiber (*Heckert*) 719
Verel—Eastman's modified acrylic (*Coover, Ivey, Wooten, Crawford*) 745
Zefran (*Stanton*) 703
SYNTHETIC FILAMENT YARNS
identification of sizings on fabrics woven from (*Trommer*) 66

TEARING FAILURE, an analysis of (*Steele, Graham*) 307
TESTING EQUIPMENT
abrasion machine, a new (*Stout*) 649
TENSILE FORCES
in yarn, sources of error in the measurement of with a combination of mechanical and electronic components (*Waesterberg*) 925
THERMAL PROPERTIES
effect of fiber arrangement on thermal properties of fabrics (*Bogaty, Hollies, Harris*) 445
heat transmission of fabrics in wind (*Niven*) 808
THERMODYNAMIC RELATIONS among stresses, deformation, and moisture absorption (*Hearle*) 940
TIRE CORDS
new fibers in (*Mallory*) 662
TWIST
formula, combed roving (*Simpson, Corley, Schnabel*) 812
irregularity tester, continuous (*Uno, Shiomi*) 818

VAPOR PHASE METHOD for preparation of polyacrylonitrile coated cotton yarn and physical properties of the product (*Haydel, Janssen, Seal, Vix, Gastrock*) 975
VAPOR TRANSMISSION
cotton fibers as a means of transmitting water vapor (*Fourt, Craig, Rutherford*) 362
VEREL—Eastman's modified acrylic fiber (*Coover, Ivey, Wooten, Crawford*) 745

WATER AND OIL REPELLENCY
fluorochemicals, the application of to cotton fabrics to obtain oil and water repellent surfaces (*Phillips, Segal, Loeb*) 369
WATER RESISTANCE
water resistant, water vapor permeable cotton fabrics (*Fourt, Quinn*) 232
WATER TRANSPORT MECHANISMS in textile materials. II: capillary type penetration in yarns and fabrics (*Hollies, Kaessinger, Watson, Bogaty*) 8
WEATHERING
and soil burial tests, standard reference fabrics for (*Shapiro*)—**L** 753
WEATHERING CHARACTERISTICS of cotton fabrics treated with copper-chromium compounds (*Rose, Bayley*) 519
WEAVING
effect of heat and ginning operations on spinning and (*Delany*)—**L** 175
WICKING
capillary type penetration in yarns and fabrics (*Hollies, Kaessinger, Watson, Bogaty*) 8
WOOL *See also* **Keratins**
acid bromate solutions, the treatment of wool with (*Statham*) 41
accessibility of to sorbates, a new approach to the determination of (*Bradbury*)—**L** 829
action of N-maleimide on and its use for the estimation of sulfhydryl groups (*Burley, Horden*) 615
chemical damage: effects of alkaline solutions (*Houff, Wilis, Beaumont*) 196
effects of aqueous chlorine (*Houff, Wills, Beaumont*) 961
chemically modified, the elastic properties of and their implications for theories of wool structure (*Lindley*) 690
cortical asymmetry, observations relating to (*Haly*)—**L** 82
cyanoethylation of (*Bikales, Black, Rapoport*)—**L** 80
dyeing
melange or vigoureux printing—a method for increasing the rate of dye fixation (*Delmenico*) 899
fabric shrinkage, modified acid colloid process for controlling (*Nickerson*) 54
fiber crimp, the significance of—a study on the worsted system (*Menkart, Detenbeck*) 665
fiber properties, influence of ionizing radiations on (*O'Connell, Walden*) 516
fibers, a hydrogen bonding mechanism for the permanent setting of (*Farnworth*) 632
the reactivity of the disulfide bonds of stretched (*Human, Lindley*)—**L** 917
ionizing radiations, influence on fiber properties (*O'Connell, Walden*) 516
medulla, the gravimetric estimation of (*Ross, Speakman*) 345
modified with difunctional isocyanates, properties of (*Moore, O'Connell*) 783
physically and chemically modified, the density of (*Fraser, MacRae*) 867

plasticity of; the physical and chemical causes of variation (*leRoux, Speakman*) 1
shrink-resistant treatments for, an appraisal of (*Sookne*) . . . 652
steaming of rovings; the effect on worsted properties (*Menkart*) . 186
supercontraction of in solutions of lithium salts (*Griffith, Alexander*) 755

WRINKLE RESISTANCE
application of crease-holding wrinkle-resistant treatments to cotton garments by drycleaners (*Graham*) 270
application of wrinkle-resistant finishes to cotton garments (*Hurwitz*) 267
cotton, a comparison of wrinkle-resistant finishes for (*Cooke, Salsbury, Roth, Swillyk, van Loo*) 150

X-RAY ANALYSIS
intermicellar spaces and capillaries, the size of in jute fibers, as revealed by (*Chowdhury*) 935

X-RAY angles of cottons, relation to fiber mechanical properties (*Rebenfeld, Virgin*) 286

YARN
tensile forces, sources of error in the measurement of with a combination of mechanical and electronic components (*Waesterberg*) 925

YARNS
abrasion, the resistance of sized yarns to (*Radhakrishnan, Mehta, Shelat*) 439
hydrodynamic factors in the friction of fibers and (*Hansen, Tabor*) 300

ZEFRAN (*Stanton*) 703

BOOK REVIEWS

Advances in Carbohydrate Chemistry, Vol. IX. M. L. Wolfrom (1954) 589
Advances in Carbohydrate Chemistry, Vol. X. M. L. Wolfrom (1955) 590
Asbestos: From Rock to Fabric. Charles Z. Carroll-Porczynski (1956) 832
Bibliographical Abstracts on Redeposition of Soil on Cotton Fabric. ASTM Special Technical Publication No. 173 (1956) 344
The Chemistry and Technology of Waxes. 2nd Ed. Albin H. Warth (1956) 274
The Chemistry of Petrochemicals. Melvin J. Astle (1956) . . . 831
The Chemistry of Phenolic Resins. Robert W. Martin (1956) . 274
The Condensed Chemical Dictionary. 5th Ed. Arthur and Elizabeth Rose (1956) 343
Dictionary of Textile Terms. German-English, English-German. M. Polanyi (1956) 274
Fibres, Plastics, and Rubbers: A Handbook of Common Polymers. W. J. Roff (1956) 995
Latex: Natural and Synthetic. Phillip G. Cook (1956) 832
The Mechanical Properties of Textile Fibres. R. Meredith (1956) 589
Natural and Synthetic Fibers Yearbook 1955. Milton Harris and H. Mark, Ed. (1956) 832
Organic Chemistry. 3rd Ed. Louis F. and Mary Fieser (1956) . 273
Organic Synthesis. Vartkes Migrdichian (1957) 996
Physics of Fibres, An Introductory Study. H. J. Woods (1955) 343
Polymer Solutions. H. Tompa (1956) 994
Primitive Art. Franz Boas (1955) 344
Safety in Industry. D. I. Macfarlane (1955) 343
A Technology for the Analysis, Design, and Use of Textile Structures as Engineering Materials. Walter J. Hamburger (1956) 86
Textile Machinery Index. John Worrall, Ltd. (1956) 273
Wool Research, Vol. 2. Physical Properties of Wool Fibres and Fabrics. Wool Industries Research Assn. (1955) 754
Wool Wax, Chemistry and Technology. E. V. Truter (1956) . 994

Textile Research Institute Publications

The following publications may be obtained from Textile Research Institute, P. O. Box 625, Princeton, N. J.

Textile Testing in Germany. 1948. 57 pp. $3.50.

Mothproofing of Woolen Materials in Europe. 1946. 28 pp. 28 micrographs; some in color. $1.50.

Textile Microscopy in Germany. 1950. 147 pp. $4.00.

Weavability Graphs. 1955. Set of five graphs, large size, for use by fabric designers. $5.00.